Appendix IV: Water Well Reports

The Aquifer or portion thereof does not currently serve as a source of drinking water per 146.4(a)

Contents

Water Well Reports within Proposed Aquifer Exemption Area in: Sections 9, 10, 14, and 15

Section 9 in 08N 04W well reports

Only water well in section 9 in the Proposed Aquifer Exemption Area is

WellID	PermitID	Owner
388857	818189	(b) (6)

The following water wells in section 9 are NOT in the Proposed Aquifer Exemption Area

WellID	PermitID	Owner
390342	819674	CHURCH OF JESUS CHRIST OF THE LATTER DAY SAINTS
290694	737631	(b) (6)
291011	737178	
429978	860648	

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

RECEIVED MAY 10, 1971 Department of Water Administration

1. WELL OWNER
Name (b) (6)
Address
Owner's Permit No.

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 215 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	6 inches	+4 feet	14 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation 1/4 inches by 2 inches

Number	From	To
25 perforations	38 feet	40 feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☒ Yes ☐ No Size of gravel 7/8
Placed from 30 feet to 40 feet

Surface seal? ☒ Yes ☐ No To what depth 30 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.



County Payette
SE ¼ NE ¼ Sec. 9, T. 8 N, R. 4 E/W

7. WATER LEVEL
Static water level 20 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow
Temperature ° F. Quality
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
15	30	1

9. LITHOLOGIC LOG 43707

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6"	0	5	Soil		✓
	5	38	Clay		✓
	38	40	Sand	✓	
	40	215	Blue clay		✓

10.
Work started 3-5-71 finished 3-9-71

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

H.C. Nicholson 54
Driller's or Firm's Name Number
921 Latham Ave. So. Payette
Address
H.C. Nicholson 3-9-71
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

W

JB.

1. WELL OWNER

Name L.D.S. CHURCH - NEW PLYMOUTH

Address NEW PLYMOUTH, IDAHO
C/O Lou Wettstein

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches	+ 2 feet	58 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/8 inches by 4 inches

Number		From	To
80	perforations	50 feet	56 feet
_____	perforations	_____ feet	_____ feet
_____	perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18' Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

N / W / E / S — X

Subdivision Name _____
Lot No. _____ Block No. _____

MICROFILMED

County PAYETTE COUNTY
SW ¼ NW ¼ Sec. 9 T. 8N N/S, R. 4W E/W.

7. WATER LEVEL

Static water level 15 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 54 °F. Quality good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
50	60	1½
250	42	3

9. LITHOLOGIC LOG 88084

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
8	0	5	BROWN CLAY		
8	5	15	BROWN SILT		
8	15	18	BROWN SAND FINE	X	
8	18	25	BROWN SILT		
8	25	40	BROWN SAND FINE TO COARSE	X	
8	40	42	BROWN CLAY		
8	42	55	SAND AND GRAVEL	X	
6	55	62	BROWN CLAY		
6	62	65	BROWN SAND	X	

RECEIVED
MAY 22 1986
Department of Water Resources
Western Regional Office

10. Work started 3/25/86 finished 3/25/86

11. DRILLERS CERTIFICATION

SC

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name DALLAS DRILLING & PUMP CO., INC. Firm No. #445
Address 505 So. 18th St. PAYETTE, IDAHO 83661 Date 3/27/86
Signed by (Firm Official) Johnny L. Goff
and
(Operator) ~~Joe Rash~~ Joe Rash

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 238-7
3/95

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT
Use Typewriter or Ballpoint Pen

060996

Office Use Only
Inspected by _____
Twp____ Rge____ Sec____
____1/4 ____1/4 ____1/4
Lat: : : Long: : :

1. DRILLING PERMIT NO. 65-97-W-236-200
Other IDWR No. TAG # D-000-1117

2. OWNER (b) (6)
Name
Address
City Payette State ID Zip 83661

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.

Twp. 8 North ☑ or South ☐
Rge. 4 East ☐ or West ☑
Sec. 19 1/4 NW 1/4 SE 1/4
Gov't Lot ____ County Payette
Lat: : : Long: : :
Address of Well Site 4331 Little Willow Rd City Payette
(Give at least name of road + Distance to Road or Landmark)

RECEIVED
MAR 04 1998
Department of Water Resources

Lt. ____ Blk. ____ Sub. Name ____

4. USE: ☑ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection ☐ Other ____

5. TYPE OF WORK check all that apply (Replacement etc.)
☐ New Well ☐ Modify ☐ Abandonment ☑ Other ____

6. DRILL METHOD
☑ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other ____

7. SEALING PROCEDURES

SEAL/FILTER PACK Material	From	To	AMOUNT Sacks or Pounds	METHOD
Bentonite	0	40	400	overhead

Was drive shoe used? ☑Y ☐N Shoe Depth(s) 40
Was drive shoe seal tested? ☑Y ☐N How? Blue Dye

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	1	40	.250	Steel	☑	☐	☑	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe ____ Length of Tailpipe ____

9. PERFORATIONS/SCREENS
☑ Perforations Method PVC Shotgun
☐ Screens Screen Type ____

RECEIVED
JUN 2 1998
WATER RESOURCES
WESTERN REGION

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
230	290	1/8x4	300	4.5	PVC	☐	☑
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
110 ft. below ground Artesian pressure ____ lb.
Depth flow encountered ____ ft. Describe access port or control devices: ____

11. WELL TESTS:
☐ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
4		310	1hr

Water Temp. 61° Bottom hole temp. ____
Water Quality test or comments: ____
Depth first Water Encountered ____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water Y	Water N
10	0	22	Brown Clay		
10	22	29	Sand & Gravel	✓	
10	29	35	Blue Clay		
6	35	62	Blue Clay		
6	62	70	Blue Silty Clay		
6	70	75	Blue Clay		
6	75	76	Fractured	✓	
6	76	87	Blue Clay		
6	87	88	Fractured	✓	
6	88	195	Blue Clay		
6	195	196	Fractured	✓	
6	196	213	Blue Clay		
6	213	214	Fractured	✓	
6	214	249	Blue Clay		
6	249	250	Fractured	✓	
6	250	310	Blue Clay		

Completed Depth 310 (Measurable)
Date: Started 7-23-97 Completed 7-24-97

RECEIVED
FEB 26 1998
WATER RESOURCES
WESTERN REGION

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Dallas Drilling Firm No. 445
Firm Official and Supervisor or Operator ____ Date 2-25-98
Date ____
(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

Form 238-7
7/94

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter or Ball Point Pen

091458

1. DRILLING PERMIT NO. 65-96-W-0207-000
Other IDWR No.

2. OWNER
Name (b) (6)
Address
City Payette State ID Zip 83661

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.

Twp. 8 North ☒ or South ☐
Rge. 4 East ☐ or West ☒
Sec. 9, 10 acres 1/4 NE 40 acres 1/4 SE 160 acres 1/4
Gov't Lot ____ County

Address of Well Site Washoe Rd
(Give at least name of road + Distance to Road or Landmark) City Fruitland

Lt. ____ Blk. #24 Sub. Name

4. PROPOSED USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK
☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD
☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK Material	From	To	AMOUNT Sacks or Pounds	METHOD
Bentonite	0	20	700 LBS	Over Bore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s)
Was drive shoe seal tested? Y ☐ N ☒ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+1	59	250	Steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe ____ Length of Tailpipe ____

9. PERFORATIONS/SCREENS
☒ Perforations Method Mills Knife
☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
20	27	1/2"	12/ft	6"	Steel	☒	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
15 ft. below ground Artesian pressure ____ lb.
Depth flow encountered ____ ft. Describe access port or control devices: well cap

11. WELL TESTS:
☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
25 GPM	Drill Stem AT 22'		1½ hrs

Water Temp. 61 Bottom hole temp.
Water Quality test or comments:

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water Y	Water N
10	0	12	Top Soil		X
10	12	16	Brown Clay		X
10	16	20	Sand & Gravel	X	
6	20	34	Sand & Gravel	X	
6	34	36	Brown Clay		X
6	36	74	Blue Clay		X
6	74	75	Sand Stone Hard	X	
6	75	117	Blue Clay		X
6	117	118	Sand Stone Hard		X
6	118	183	Blue Clay		X
6	183	184	Sand Stone	X	
6	184	220	Blue Clay	X	

RECEIVED
AUG 15 1996
Department of Water Resources

RECEIVED
AUG 22 1996
Department of Water Resources

RECEIVED
AUG 15 1996
WATER RESOURCES
WESTERN REGION

OCT 09 1996

Completed Depth 220 (Measurable)
Date: ~~Started~~ 7/29/96 Completed 7/30/96

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Riverside Inc Firm No. 333
Firm Official Date 8-12-96
and
Supervisor or Operator Dave Chase Date 8/12/96
(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

15

Form 238-7
6/07

860648

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0057920
Drilling Permit No. _____
Water right or injection well # _____
2. OWNER
Name (b) (6)
Address _____
City Payette State ID Zip 83661

3. WELL LOCATION:
Twp. 8 North ☒ or South ☐ Rge. 4 East ☐ or West ☒
Sec. 9 _____ 1/4 N/E 1/4 S/E 1/4
Gov't Lot _____ County Payette
Lat. 44 ° 02.684 (Deg. and Decimal minutes)
Long. 116 ° 49.019 (Deg. and Decimal minutes)
Address of Well Site 4331 Little Willow Rd
(Give at least name of road + Closest cross Road or Landmark) City Payette
Lot. _____ Blk. _____ Sub. Name _____

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:
☒ New well ☒ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:
☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
3/4 Teague	0	19	700LBS	overbore dry pour
3/4 teague	100	125	1050	pour from surface

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/ Schedule	Material	Casing	Liner	Threaded	Welded
6"	+1.5	20	.250	steel	☒	☐	☐	☒
6"	30	100	sdr17	PVC	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☒ N Method _____
Manufactured screen ☒ Y ☐ N Type 25 slot Johnson
Method of installation solid on casing string

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
20	30	25		6	stainless	.250

Length of Headpipe 22' Length of Tailpipe 70'
Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____
Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) 23' Static water level (ft) 19'
Water temp. (°F) _____ Bottom hole temp. (°F) _____
Describe access port removable well cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
100'	16'	6hr

Test method: Pump ☐ Bailer ☐ Air ☒ Flowing artesian ☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	Water N
12	0	2	topsoil		X
12	2	23	clay		X
10	23	29	gravel (drilled without caving)	X	
10	29	125	blue clay 1/2 GPM at 100'	X	
6	125	360	blue clay		X
			Drilled well to 360' expecting to do		
			a 38' seal. However there was		
			only 1/2 GPM and this was picked		
			up at 100'. We tried to increase		
			this flow by reaming the well. This		
			did not help the flow so we decided		
			to take the surface water from the		
			gravel, unsure if there was more		
			than just a few gallon per minute.		
			Thus the reason for the long tailpipe.		
			During the reaming the well bridged		
			at 125' where we had quit drilling		
			with the large bit.		
			I poured bentonite on top of this		
			bridge and around the PVC .		
			I then used bentonite and pea		
			gravel layers to fill to the surface.		
	125	100	21 bags bentonite		
	100	90	pea gravel		
	90	70	10 bags bentonite		
	70	50	pea gravel		
	50	32	8 bags bentonite		
	32	19	pea gravel		
	19	0	14 bags bentonite		

Completed Depth (Measurable): 100'
Date Started: Jan 26, 2011 Date Completed: Feb 7, 2011

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Nu Acre Drilling LLC Co. No. 701
*Principal Driller David Tell Jones Date Feb 28, 2011
*Driller _____ Date _____
*Operator II _____ Date _____
Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.

RECEIVED
MAR 0 2 2011
WATER RESOURCES
WESTERN REGION

Section 10 in 08N 04W well reports

water wells in section 10 in the Proposed Aquifer Exemption Area are

WellID	PermitID	Owner
377306	806473	(b) (6)
402757	832164	
440252	874364	GLOBAL CATHODIC PROTECTION
293534	734337	(b) (6)
293535	734338	

069420

WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

Log No. .....
Rec. ....., 19....
Well No. .....
Permit No. .....
(DO NOT FILL IN)

Owner (b) (6) Driller Willard L. Heine

Address Payette Address Star R. Payette Lic. No. 10

Location of Well: NE¼NW¼ Sec. 10, T. 8 N. N/S, R. 4W. E/W Payette County.

and 440 feet N/S, and 220 feet E/W from N W corner of NE ¼ NW ¼ Sec. 10

Water will be used for Stock Total depth of well 37 ft

Size of drilled hole 6 in Weight of casing per linear foot 29 lbs

Thickness of casing 3/8 in Casing material Steel
(o.s., pipe, concrete, wood.)

Diameter, length and location of casing 37 ft 6 in Cased from top to bottom
(Casing 12" in diameter and under give inside diameter; casing over 12" in diameter give outside diameter.)

Number and size of perforations ..... located ..... feet to ..... feet

from surface of ground.

Other perforations: .....

If flowing well, give flow in c.f.s. ..... or g.p.m. ..... and shut in pressure .....

If non-flowing well, give depth of standing water from surface 19 ft

If flowing well, describe control works .....
(Type and size of valve, etc.)

On pumping test delivery was 8 g.p.m. or ..... c.f.s. Drawdown was 4 feet

Length of time pumped during check was 1 hr. ..... min. Water temp. 54 ° Fahrenheit.

Date of commencement of well Nov. 8 Date of completion of well Nov. 10

Type of well rig Homemade Spudder

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	"Remarks" — Seals, Grouting, Etc.

GENERAL INFORMATION — Pumping Test, Quality of Water, Etc.

NENW S10 T8N R4W

WELL LOG

From Feet	To Feet	Type of Material	Drilling Time Hrs.	Drilling Time Min.	Water-bearing Formation Ans. Yes or No	Casing Perforated Ans. Yes or No
0	5	dirt		30		
5	35	clay	8	30		
35	37	gravel	2			
		total time	11	hours		no

If more space is required use Sheet No. 2

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true and correct to the best of my knowledge and belief.

Signed Willard L. Keene

By _____

License No. 10

Dated _____, 19____.

Subscribed and sworn before me this _____ day of _____, 19____.

NOTARIZATION NOT NECESSARY UNDER NEW LAW.

_____ Notary Public

My commission expires _____

_____ Residing at

Form 238-7
6/07

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0068835
Drilling Permit No. 968307-874364
Water right or injection well #

2. OWNER:
Name Global Cathodic Protection Inc.
Address PO. Box 5189
City Houston State TX. Zip 77262

3.WELL LOCATION:
Twp. 8 North ☒ or South ☐ Rge. 4 East ☐ or West ☒
Sec. 10 ____ 10 acres ____ 1/4 NE 40 acres 1/4 NW 160 acres 1/4
Gov't Lot ____ County Payette
Lat. 44 ° 3.0662 (Deg. and Decimal minutes)
Long. -116 °48.1992 (Deg. and Decimal minutes)
Address of Well Site off Little Willow Road
(Give at least name of road + Distance to Road or Landmark) City Payette
Lot. ____ Blk. ____ Sub. Name

4. USE:
☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☒ Other Cathodic Protection Well

5. TYPE OF WORK:
☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other

6. DRILL METHOD:
☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
Bentonite # 5	0	38'	1500 lbs	Overbore pour

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/ Schedule	Material	Casing	Liner	Threaded	Welded
6"	+2'	38'	40	PVC	☐	☒	☐	☒
8"	-38'	200'	.322	Steel	☒	☐	☐	☒
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 200 feet

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☒ N Method
Manufactured screen ☐ Y ☒ N Type
Method of installation

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule

Length of Headpipe Length of Tailpipe
Packer ☒ Y ☐ N Type Shell Trap

10.FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG)
Describe control device

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) none Static water level (ft) none
Water temp. (°F) na Bottom hole temp. (°F) na
Describe access port

Well test: **Test method:**

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
na	na	na	☐	☐	☐	☐
			☐	☐	☐	☐

Water quality test or comments: no water

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	Water N
10"	0	5'	Top soil		X
10"	5'	25'	Brown clay		X
10"	25'	38'	Gravel		X
8"	38'	65'	Blue clay		X
8"	65'	120'	Blue shale		X
8"	120'	200'	Blue clay		X

RECEIVED
FEB 20 2015
WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable): NA 200 feet
Date Started: Feb 4, 2015 Date Completed: Feb 6, 2015

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Hiddleston Drilling Co. No. 35
*Principal Driller [signature] Date Feb 10, 2015
*Driller Alex Reitzler Date Feb 10, 2015
*Operator II [signature] Date Feb 10, 2015
Operator I [signature] Date Feb 10, 2015

* Signature of Principal Driller and rig operator are required.

Form 238-
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name (b) (6)

Address

Payette Idaho 83661

Owner's Permit No. 65-89-2-060

2. NATURE OF WORK

☐ New well ☐ Deepened ☑ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☑ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☑ Rotary ☑ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☑ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches	+ 1 feet	99 feet
.200 inches	4 inches	− 8 feet	187 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☑ Yes ☐ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? P.V.C. Liner ☑ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number		From	To
60	perforations	70 feet	80 feet
_____	perforations	120 feet	140 feet
_____	perforations	150 feet	160 feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name 190 180
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☑ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☑ Overbore to seal depth
Method of joining casing: ☐ Threaded ☑ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port In Well Cap

6. LOCATION OF WELL

Sketch map location must agree with written location

N / W / E / S

Subdivision Name _____
Lot No. _____ Block No. _____

County Payette
NE¼ NE¼ Sec. 16, T. 8 N N/S, R. 4W E/W.

7. WATER LEVEL

Static water level 15 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
12 +	180	2

9. LITHOLOGIC LOG 023846

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	22	Brown Clay		
6	22	28	Gravel + Sand		
	28	62	Blue Clay		
	62	63	Vein fractures	–	
	63	74	Blue Clay		
	74	75	Fractures	–	
	75	126	Blue Clay		
	126	127	Fractures	–	
	127	156	Blue Clay		
	156	157	Fractures	–	
	157	187	Blue Clay		

RECEIVED
AUG 10 1989
Department of Water Resources

RECEIVED
AUG 17 1989
Department of Water Resources
Western Regional Office

10. Work started 5-19-89 finished 5-21-89

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name _____ Firm No. 445
[illegible] DRILLING & PUMP CO., INC.
Address 505 SOUTH 18TH STREET PAYETTE, IDAHO 83661 Date 6/10/89
Signed by (Firm Official) [signature]
and
(Operator) [signature]

RECEIVED
AUG 21 1989
Department of Water Resources

SUBMIT THE WHITE COPY TO THE DEPARTMENT

Form 238-
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name (b) (6)

Address

Payette Idaho 83661

Owner's Permit No. 65-89-2-060

2. NATURE OF WORK

☐ New well ☐ Deepened ☑ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☑ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☑ Rotary ☑ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☑ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches	+ 1 feet	99 feet
.200 inches	4 inches	− 8 feet	187 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☑ Yes ☐ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? P.V.C. Lined ☑ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number		From	To
60	perforations	70 feet	80 feet
_____	perforations	120 feet	140 feet
_____	perforations	150 feet	160 feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name 190 180
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☑ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☑ Overbore to seal depth
Method of joining casing: ☐ Threaded ☑ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port In Well Cap

6. LOCATION OF WELL

Sketch map location must agree with written location

N / W / E / S

Subdivision Name _____
Lot No. _____ Block No. _____

County Payette
NE¼ NE¼ Sec. 16, T. 8 N N/S, R. 4W E/W.

7. WATER LEVEL

Static water level 15 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
12 +	180	2

9. LITHOLOGIC LOG 023846

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	22	Brown Clay		
6	22	28	Gravel + Sand		
	28	62	Blue Clay		
	62	63	Vein fractures	–	
	63	74	Blue Clay		
	74	75	Fractured	–	
	75	126	Blue Clay		
	126	127	Fractured	–	
	127	156	Blue Clay		
	156	157	Fractures	–	
	157	187	Blue Clay		

RECEIVED
AUG 10 1989
Department of Water Resources

RECEIVED
AUG 17 1989
Department of Water Resources
Western Regional Office

10.

Work started 5-19-89 finished 5-21-89

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name _____ Firm No. 445
[illegible] DRILLING & PUMP CO., INC.
Address 505 SOUTH 18TH STREET PAYETTE, IDAHO 83661 Date 6/10/89
Signed by (Firm Official) [signature]
and
(Operator) [signature]

RECEIVED
AUG 21 1989
Department of Water Resources

SEND THE WHITE COPY TO THE DEPARTMENT

Well #199

RECEIVED
JUN 14 1966
Department of Reclamation

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Payette Farms
Address Payette, Idaho

Owner's Permit No.
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: irrigation
METHOD OF CONSTRUCTION: Rotary ☒ Cable ☐
Dug ☐ Other (explain)
CASING SCHEDULE: Threaded ☐ Welded ☒
12-3/4"Diam. from 0 ft. to 71 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: .188 Material:
Steel ☒ concrete ☐ wood ☐ other ☐
(explain)
PERFORATED? Yes ☒ No ☐ Type of perforator used: machine & torch
Size of perforations: 1/8 " by 2-3/8 "
4320 perforations from 35 ft. to 71 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☒
No. ☐ size of gravel 3/8 Gravel placed from 54 ft. from bottom. Surface seal provided? Yes ☐ No ☐ To what depth?
ft. Material used in seal:
Did any strata contain unusable water? Yes ☐
No. ☒ Type of water:
Depth of strata 17 ft. Method of sealing strata off: 3 ft cement seal; 6' Bentonite grouting
Surface casing used? Yes ☐ No. ☐
Cemented in place? Yes ☐ No ☐

Locate well in section



LOCATION OF WELL: County Payette
NE ¼ NW ¼ Sec. 10 T. 8 N/S R. 4 E/W

Size of drilled hole: 20" Total depth of well: 71 ft Standing water level below ground: 17' Temp. Fahr. ° Test delivery: gpm or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☐

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL 43708	WATER YES OR NO
0	6	Soil - dark	no
6	12	Sand - fine; brown & yellow	no
12	17	Clay - Grey	no
17	26	Gravel	yes
26	32	Clay - grey	
32	46	Clay - grey	
46	54	Shale - Blue grey	
54	72	Clay - grey	
72	78	Shale - blue grey	
78	140	Clay - Blue grey	

Work started: March 30, 1966
Work finished: April 8, 1966
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: B & M Well Drilling Co., Inc.
Address: Caldwell, Idaho
Signed by:
License No. 221 Date: 5/31/66

Use other side for additional remarks

USGS

65

Section 14 in 08N 04W well reports

Only water well in section 14 in the Proposed Aquifer Exemption Area is

WellID	PermitID	Owner
292833	735167	(b) (6)

Form 238-7
8/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

(b) (6)

Name [redacted]

Address [redacted]

Drilling Permit No. 65-92-W-063

Water Right Permit No. ______

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other ______ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other ______

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other ______

Thickness	Diameter	From	To
.250 inches	6 inches	+ 1.6 feet	38 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun
Size of perforation 1/4 inches by 4 inches

Number		From	To
18	perforations	34 feet	36 feet
	perforations	feet	feet
	perforations	feet	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name ______
Type ______ Model No. ______
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel ______
Placed from ______ feet to ______ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ ______
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port Sani Seal

6. LOCATION OF WELL

Sketch map location must agree with written location.

N / W / E / S — 14

Subdivision Name ______

Lot No. ______ Block No. ______

County Payette

SW ¼ NW ¼ Sec. 14, T. 8 N, R. 4 W

7. WATER LEVEL

Static water level 7' 3" feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow ______
Artesian closed-in pressure ______ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☒ Plug
Temperature 58 °F. Quality Good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other ______

Discharge G.P.M.	Pumping Level	Hours Pumped
60 +	34'	1 hr

9. LITHOLOGIC LOG 082396

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	2	Top Soil		X
10	3	17	Clay Dark Brown		X
10	17	18	Gravel Cemented		X
6	18	25	Gravel Cemented		X
6	25	36	Gravel w/Sand	X	
6	36	38	Clay Blue		X

RECEIVED APR 29 1992 Department of Water Resources

RECEIVED OCT 21 1992 Department of Water Resources

CONFIRMED DEC 04 1992

10. Work started 4-27-92 finished 4-27-92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name R Selves Well Firm No. #489
Address P.O. Box Payette Date 4-27-92
Signed by (Firm Official) Ron Selves
and
(Operator) Ron Selves

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 15 in 08N 04W well reports

Only water well in section 15 in the Proposed Aquifer Exemption Area is

WellID	PermitID	Owner
290864	737035	(b) (6) (log not available on line *Spoke with land owner: well does not exist)

(b) (6) **No report found: Information from the Idaho Department of Water Resources**



Spoke with land owner 9/5/19 and he says that there is no water well in that location. Well does not exist.







Water Well Reports from the surrounding within a surrounding 24 Square mile radius of the Proposed Aquifer Exemption Area in: Township 08N, Range 04W Sections 3, 4, 5, 8, 17, 20, 21, 23, 24, And Township 08N, Range 03W Sections 18 and 19

Section 3 in 08N 04W well reports

WellID	PermitID	Owner
377199	806364	(b) (6)
390171	819503	
290564	737503	
346482	774643	
289347	738618	
293017	735348	

Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

W 98

1. WELL OWNER

Name (b) (6)

Address (b) (6) PAYETTE Id. 83661

Owner's Permit No. ____

2. NATURE OF WORK

☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☑ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☑ Stock ☐ Waste Disposal or Injection
☐ Other ____ (specify type)

4. METHOD DRILLED

☑ Rotary ☑ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other ____

5. WELL CONSTRUCTION

Casing schedule: ☑ Steel ☐ Concrete ☐ Other ____

Thickness	Diameter	From	To
.250 inches	6 inches	+ 3 feet	238 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☑ Yes ☐ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name ____
Type ____ Model No. ____
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Gravel packed? ☐ Yes ☑ No ☐ Size of gravel ____
Placed from ____ feet to ____ feet
Surface seal depth 25 Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ Clay
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☑ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port ____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name ____

Lot No. ____ Block No. ____

County PAYETTE

NE ¼ NE ¼ Sec. 3, T. 8 N/S, R. 4 E/W

7. WATER LEVEL

Static water level 157 feet below land surface.
Flowing? ☐ Yes ☑ No G.P.M. flow ____
Artesian closed-in pressure ____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature ____ °F. Quality ____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☑ Air ☐ Other ____

Discharge G.P.M.	Pumping Level	Hours Pumped
50	?	3 HRS

9. LITHOLOGIC LOG 88301

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
6	0	80	BROWN CLAY		
	80	130	BLUE CLAY		
	130	150	BROWN CLAY		
	150	195	BLUE CLAY		
	195	225	sand BLACK		
	225	245	BLACKSAND & clay	✓	

Department of Water Resources
Western Regional Office

MICROFILMED

10. Work started 3/27/85 finished 4/4/85

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Gem State Drilling Firm No. 277

Address Rt 1 Roswell Caldwell Date 4/4/85

Signed by (Firm Official) [signature]

and

(Operator) ____

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

069424

Location Corrected by IDWR To:
T08N R04W Sec. 3 SESWNE
By: segbert 2012-04-20

Well Log Form 1
3M-3/63

WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

Department of Reclamation

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-238

Permit No. _____ Well No. 1h1 County Payette

Owner (b) (6)

Address (b) (6) PAYETTE, IDAHO

Driller B. & M. EQUIPMENT CO., INC.

Address P.O. BOX 973, CALDWELL, IDAHO

Well location SE ¼ NE ¼ Sec. 3, T. 8 N/S R. 4 E/W

Size of drilled hole 12-1/4"

Total depth of well 183

Locate well in section



Give depth to standing water from the ground 80' Water temp. _____ °Fahr.

Test delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet. Pump? _____ Bail? _____

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____
(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic Weight of casing per lineal foot 7.3 lb

Thickness of casing 10 ga Casing material Steel
(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 5" O.D. x 169' from ground surface
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
5" OD	0	169	169	Gravel packed 183'. Cement grout seal at 40' from ground surface. Casing perforated from 129' to 169'

Number and size of perforations 1/8" x 6" located 129' feet to 169' feet from ground

Date of commencement of well Nov. 14, 1964 Date of completion of well Nov. 18, 1964

SENE 5-3 8N 4W

Form 238-7
7/94

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter or Ball Point Pen

60102

1. DRILLING PERMIT NO. 65-97-W-0092.200
Other IDWR No.

2. OWNER:
Name (b) (6)
Address
City Payette State ID Zip 83661

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.

Twp. 8 North ☐ or South ☐
Rge. 4 East ☐ or West ☐
Sec. 3 SE 1/4 SE 1/4 SW 1/4
Gov't Lot ____ County Payette

Address of Well Site Same
City Payette
(Give at least name of road + Distance to Road or Landmark)

Lt. ____ Blk. ____ Sub. Name ____

4. PROPOSED USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK
☐ New Well ☐ Modify or Repair ☒ Replacement ☐ Abandonment

6. DRILL METHOD
☐ Mud Rotary ☐ Air Rotary ☒ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK Material	From	To	AMOUNT Sacks or Pounds	METHOD
Bentonite	0	20	9	auger bore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 139
Was drive shoe seal tested? Y ☒ N ☐ How? Well head cover 12"

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	1½	139	250	steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe ____ Length of Tailpipe ____

9. PERFORATIONS/SCREENS
☐ Perforations Method
☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
89 ft. below ground Artesian pressure ____ lb.
Depth flow encountered 161 ft. Describe access port or control devices: well cap

11. WELL TESTS:
☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
20	3	92	4 hr

Water Temp. 60° Bottom hole temp. 60°
Water Quality test or comments: OK, some odor

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water Y	Water N
10	0	6	Silt brown 5% large gravels		
1	6	14	Silt brown		
	14	20	Silty clay stick brown		
6	20	30	" " "		
	30	31	clay brown Rubbery		
	31	46	Silty Clay brown		
	46	152	Clay Stone blue		
	152	161	Silt Stone blue hard		
	161	185	Sand Stone blackwhite	X	
			Old well had caved in to 53 ft Abandon with bentonite 17 sacks		

RECEIVED
MAY 29 1997
Department of Water Resources
RECEIVED
MAY 28 1997
WATER RESOURCES
WESTERN REGION

Completed Depth 185 (Measurable)
Date: Started 5-7-97 Completed 5-12-97

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name HAINES WATER WELL DRILLING 4127 GOOD LANE NEW PLYMOUTH, ID 83655 Firm No. 491
Firm Official [signature] Date 5-26-97
and
Supervisor or Operator ____ Date ____
(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, **Department of Water Resources within 30** days after the completion or abandonment of the well.

1. WELL OWNER

Name (b) (6)

Address PLYMOUTH, IDA 83655

Owner's Permit No.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 185 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	6 inches	+ 1 feet	26 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☒ Factory ☐ Knife ☐ Torch

Size of perforation 1/8 inches by 5 inches

Number	From	To
46 perforations	159 feet	165 feet
60 perforations	175 feet	185 feet
perforations	feet	feet

4" P.V.C. Liner from 106' to 185'

Well screen installed? ☐ Yes ☒ No

Manufacturer's name

Type Model No.

Diameter Slot size Set from feet to feet

Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No Size of gravel

Placed from feet to feet

Surface seal depth 25' Material used in seal ☒ Cement grout

☐ Puddling clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing

☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name

Lot No. Block No.

County PAYETTE

SE ¼ SE ¼ Sec. 3 T. 8 N/S, R. 4 E/W

7. WATER LEVEL

Static water level 91 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow

Temperature 54 ° F. Quality

Artesian closed-in pressure p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
30 G.P.M.	69 FEET	1 HOUR

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6	0	20	Sandy Brown Clay		x
	20	44	Sticky Brown Clay		x
	44	63	Sticky Blue Clay		x
	63	125	Soft Blue Clay		x
	125	126	Broken Brown Claystone		x
	126	137	Soft Blue Clay		x
	137	140	Broken Brown Claystone		x
	140	158	Sticky Blue Clay		x
	158	185	Black Sandstone	x	

002067

RECEIVED
JUL 15 1980
Department of Water Resources
Western Regional Office

RECEIVED JUL 17 1980 Department of Water Resources

RECEIVED JUL 15 1980 Department of Water Resources

10.

Work started 7/08/80 finished 7/08/80

11. DRILLERS CERTIFICATION

Firm Name PAGE BROTHERS DRILLING Firm No. 225

Address RT 2 BOX 371-Vale, OR Date 7/14/80

Signed by (Firm Official) Pat Page

and

(Operator) Pat Page

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 238-7
11/97

C

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

7386 18

Office Use Only
Inspected by _____
Twp ____ Rge ____ Sec ____
____ 1/4 ____ 1/4 ____ 1/4
Lat: : : Long: : :

1. WELL TAG NO. D 0012334
DRILLING PERMIT NO. ____-____-____-____
Other IDWR No. _____

2. OWNER: (b) (6)
Name (b) (6)
Address _____
City Payette State Id Zip 83661

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.

N / W / E / S

Twp. 8 North X or South ☐
Rge. 4 East ☐ or West X
Sec. 3 NE 1/4 NE 1/4 1/4 1/4
Gov't Lot ____ County Payette
Lat: : : Long: : :
Address of Well Site 4950 Little Creek Rd City Payette
(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:
X Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)
X New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD
X Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK Material	From	To	AMOUNT Sacks or Pounds	METHOD
Bentonite	1	20	500	Pour

Was drive shoe used? ☐Y ☐ N Shoe Depth(s) _____
Was drive shoe seal tested? ☐ Y☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8"	+2	195	250	Steel	X	☐	X	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS
Perforations Method _____
Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
84 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:
☐ Pump ☐ Bailer X Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
60			1 hour

Water Temp. 68° Bottom hole temp. _____
Water Quality test or comments: Iron .5 PH 8.0 Grains 6
Depth first Water Encountered 149'

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water Y	Water N
12	0	8	Sandy clay & top soil		
"	8	15	Tan clay		
"	15	20	Sandy clay		
8	20	22	Sandy clay		
	22	23	Sand		
	23	32	Sandy clay		
	32	47	clay		
	47	59	Gravel		
	59	72	Clay		
	72	101	Blue clay		
	101	103	Blue sand		
	103	114	Blue clay		
	114	119	Blue sand		
	119	134	Blue clay		
	134	137	Blue sand		
	137	149	Blue clay		
	149	210	Short clay & sand streaks	X	

RECEIVED
MAR 7 2000
Department of Water Resources

RECEIVED
DEC 0 3 2000
WATER RESOURCES
WESTERN REGION

Completed Depth 210' (Measurable)
Date: Started 11-30-99 Completed 12-10-99

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Adamson Pump & Drill No. 0457
Firm Official Dave Adamson Date 12-14-99
and
Driller or Operator [signature] Date 12-14-99
(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

Form 238-7
4/92

RECEIVED
MAR 2 1993
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

RECEIVED
FEB 22 1993
Department of Water Resources
Western Regional Office

USE TYPEWRITER OR BALLPOINT PEN

Section 42-238(7), Idaho Code requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name (b) (6)
Address Payette
Drilling Permit No. 65-92-W-237
Water Right Permit No.

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)

3. PROPOSED USE
☐ Domestic ☒ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness .250 inches, Diameter 6 inches, From 2 feet, To 98 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☑ Yes ☐ No (saw) PVC only
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? 1/8 inches by 5 inches
Number 2000 perforations From 180 feet To 240 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____

Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 98 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☒ Slurry pit
☒ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL
Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County Payette
Address of Well Site Same as Above
(give at least name of road)
T. 8 N ☒ or S ☐
SE ¼ NE ¼ Sec. 3, R. 4 E ☐ or W ☒

MICROFILMED
AUG 09 1993

7. WATER LEVEL
Static water level 78 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 67 °F. Quality _____
Describe artesian or temperature zones below:

8. WELL TEST DATA
☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
100+	240	4

9. LITHOLOGIC LOG 104688

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	2	Top Soil		
10	2	15	Clay and Gravel		
10	15	90	Brown Silt		
10	90	97	Blue Clay		
6	97	102	Blue Clay		
6	102	103	Brown Silt	xx	
6	103	124	Blue Clay		
6	124	127	Brown Silt	xx	
6	127	153	Blue Clay		
6	153	154	Brown Silt	xx	
6	154	161	Blue Clay		
6	161	162	Brown Silt	xx	
6	162	184	Blue Clay		
6	184	190	Brown Silt	xx	
6	190	220	Blue Clay		
6	220	225	Brown Silt	xx	
6	225	240	Blue Clay		

RECEIVED
FEB 18 1993
Department of Water Resources

10.
Work started 11-4-92 finished 11-5-92

11. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
DALE'S DRILLING & PUMP CO., INC.
505 SOUTH 18TH STREET
PAYETTE, IDAHO 83661
Firm No. 445
Address _____ Date _____
Signed by Drilling Supervisor [signature]
and
(Operator) [signature]
(if different than the Drilling Supervisor)

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 4 in 08N 04W well reports

WellID	PermitID	Owner
374907	804020	(b) (6) SSEMBLY OF GOD
292325	735439	

804020

Form 238-7
11/97

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only
Inspected by _____
Twp ____ Rge ____ Sec ____
____ 1/4 ____ 1/4 ____ 1/4
Lat: : : Long: : :

1. WELL TAG NO. D 029277
DRILLING PERMIT NO. ____-____-____-____
Other IDWR No. _____

2. OWNER:
Name New Plymouth Assembly of God
Address P.O. Box 107
City New Plymouth State Idaho Zip 83655

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.

N / W / E / S

Twp. 8 North ☒ or South ☐
Rge. 4 East ☐ or West ☒
Sec. 4 NW 1/4 (10 acres) NW 1/4 (40 acres) SW 1/4 (160 acres)
Gov't Lot ____ County Payette
Lat: : : Long: : :
Address of Well Site 150 yds East of Adams Rd, off Hwy 30, East side City New Plymouth
(Give at least name of road + Distance to Road or Landmark)
Lt. _____ Blk. _____ Sub. Name _____

4. USE:
☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)
☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD
☐ Air Rotary ☒ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK Material	From	To	AMOUNT (Sacks or Pounds)	METHOD
bentonight	0	18	15	Tremie casing

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) ~~36½~~
Was drive shoe seal tested? ☐ Y ☒ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+1½	36½	250	Steel	☒	☐	☒	☐
5	28½	37½	188	Steel	☐	☒	☒	☐
5	42½	43½	188	Steel	☐	☒	☒	☐

Length of Headpipe 9 Ft Length of Tailpipe 1 Ft

9. PERFORATIONS/SCREENS
Perforations Method _____
Screens Screen Type V-wire

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
37½	42½	.20	V-wire	5	S.S.	☐	☒
~~28½~~	~~37½~~					☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
5 ft. below ground Artesian pressure ____ lb.
Depth flow encountered 34 ft. Describe access port or control devices: Well cap

11. WELL TESTS:
☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min.	Drawdown	Pumping Level	Time
30	31	36½	4 hr

Water Temp. 54° Bottom hole temp. 54°
Water Quality test or comments: OK
Depth first Water Encounter 36

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water Y	Water N
10	0	1	Soil		
10	1	18	Sandy clay		
6	18	36	Silty clay		
	36	39	Sand some gravel brown	☒	
	39	43	Sand white & gravel	☒	
	43		Sand Rust brown		

RECEIVED
JUL 22 2003
WATER RESOURCES
WESTERN REGION

Completed Depth 43 (Measurable)
Date: Started 6-18-03 Completed 6-25-03

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Thimos Water Well Firm No. 491
Firm Official Marvin Thimos Date 7-21-03
and
Driller or Operator _____ Date _____
(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

Form 238-7 4/92

RECEIVED MAR 2 1993 Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

USE TYPEWRITER OR BALLPOINT PEN

RECEIVED FEB 3 1993 Department of Water Resources Western Regional Office

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name (b) (6) [redacted]

Address [redacted] Plymouth

Drilling Permit No. 65-92-w-344

Water Right Permit No. ______

2. NATURE OF WORK

☑ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)

3. PROPOSED USE

☑ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other ______ (specify type)

4. METHOD DRILLED

☒ Rotary ☑ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other ______ (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other ______

Thickness	Diameter	From	To
.250 inches	6 inches	+ 1 feet	22 feet
___ inches	___ inches	___ feet	___ feet
___ inches	___ inches	___ feet	___ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? ___ inches by ___ inches

Number		From	To
___	perforations	___ feet	___ feet
___	perforations	___ feet	___ feet
___	perforations	___ feet	___ feet

Well screen installed? ☐ Yes ☐ No
Manufacturer ______ Type ______
Top Packer or Headpipe ______
Bottom of Tailpipe ______

Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel ______
Placed from ______ feet to ______ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout ☑ Bentonite ☐ Puddling clay ☐ ______
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port Sani Seal

6. LOCATION OF WELL

Sketch map location **must** agree with written location.

Subdivision Name ______

Lot No. A Block No. ______

County Payette

Address of Well Site 815 Holly Ave
(give at least name of road)

NE ¼ NE ¼ Sec. 4, T. 8, N ☒ or S ☐, R. 4, E ☐ or W ☒

MICROFILMED AUG 09 1993

7. WATER LEVEL

Static water level 8 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow ______
Artesian closed-in pressure ______ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality Good.
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other ______

Discharge G.P.M.	Pumping Level	Hours Pumped
22gpm	18'	1hrs

9. LITHOLOGIC LOG 104882

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	2	Top Soil		—
10	2	18	Clacke Tan		—
6	18	19	Clacke Tan		—
6	19	25	Gravel Brown	yes	

10.

Work started 11-23-92 finished 11-23-92

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name R Schaswell Drilling Firm No. 489

Address PO Box 216 Date 11-23-92

Signed by Drilling Supervisor [signature]

and

(Operator) ______
(If different than the Drilling Supervisor)

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 5 in 08N 04W well reports

WellID	PermitID	Owner
392812	822154	(b) (6)

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

RECEIVED
Department of Water Administration

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name (b) (6)
Address Ontario, Oregon
Owner's Permit No. Well No 2

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 37 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
1/4 inches	6 inches	1 feet	37 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name ____
Type ____ Model No. ____
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel ____
Placed from ____ feet to ____ feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.



County Payette
SW ¼ SW ¼ Sec. 5 T. 8 N. R. 4 W

7. WATER LEVEL
Static water level 12 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow ____
Temperature ____ ° F. Quality ____
Artesian closed-in pressure ____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
40	4	1

9. LITHOLOGIC LOG 43703

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6	0	20	Surface soil		✓
11	20	35	Fine sand	✓	
11	35	37	Coarse sand & gravel	✓	

10. Work started April 4, 1973 finished April 4, 1973

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

Nicholson Well Drilling 54
Driller's or Firm's Name Number
921 6th Ave. S. Payette, Idaho
Address
Signed By April 29, 1973 Date

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

Department of Water Administration

1. WELL OWNER
Name (b) (6)
Address Ontario, Oregon
Owner's Permit No. Well No 1

2. NATURE OF WORK
☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☐ Domestic ☑ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☑ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 37 feet
Casing schedule: ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
1/4 inches	6 inches	+ 1 feet	37 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☑ No Size of gravel
Placed from feet to feet

Surface seal? ☑ Yes ☐ No To what depth 18 feet
Material used in seal ☐ Cement grout ☑ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.



65

County Payette
SW ¼ SW ¼ Sec. 5 T. 8 N R. 4 E/W

7. WATER LEVEL
Static water level 12 feet below land surface
Flowing? ☐ Yes ☑ No G.P.M. flow
Temperature ° F. Quality
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
40	4	1

43702

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6	0	20	Surface soil		✓
11	20	35	Fine sand	✓	
11	35	37	Coarse sand & gravel	✓	

Well to close to Neighbors Grain field. Moved over far enough and drilled Well No 2

10. Work started April 3, 1973 finished April 4, 1973

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

Nicholson Well Drilling 54
Driller's or Firm's Name Number
921 6th Ave S. Payette, Idaho
Address
Signed By April 29, 1973
Date

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

Section 8 in 08N 04W well reports

WellID	PermitID	Owner
391103	820438	(b) (6)

Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name (b) (6)

Addre ...yce M Ida

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches +	1 feet	20 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port Sani Seal

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County _____
SE ¼ SE ¼ Sec. 8 , T. 8 ☒S, R. 4 ☒E.

7. WATER LEVEL

Static water level 35 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 54 °F. Quality good
Describe artesian or temperature flows below.

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
7	130	3

9. LITHOLOGIC LOG 86524

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	18	Brown Clay		X
6	18	24	Clay: Boulders		X
6	24	134	Clay, blue		X
6	134	135	Sand black (Gem ☒)		
6	135	227	Clay blue		X
6	227	228	broken hard clay		X

Caved back
To 227.
well is 227
ft deep

RECEIVED
JUL 7 1988
Department of Water Resources

10. Work started 6-18-86 finished 6-19-86

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Frank Shelley Firm No. 326
Address RT 1 box 93 Date 7-5-86
Signed by (Firm Official) Frank Shelley
and
(Operator) _____

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 12 in 08N 04W well reports

WellID	PermitID	Owner
371959	801045	(b) (6)

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED JUN 2 1977 Department of Water Resources Western Regional Office

1. WEL(b) (6) [redacted]

Name [redacted]

Address Payette

Owner's Permit No. ____

2. NATURE OF WORK

☑ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning) ____

3. PROPOSED USE

☑ Domestic ☐ Irrigation ☑ Test ☐ Other (specify type)

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☑ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 102 feet

Casing schedule: ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	8 inches	+1 feet	69 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☑ Yes ☐ No

Was a packer or seal used? ☐ Yes ☑ No

Perforated? ☐ Yes ☑ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name ____

Type ____ Model No. ____

Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Diameter ____ Slot size ____ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☑ No Size of gravel ____

Placed from ____ feet to ____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout ☑ Puddling clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☑ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name ____

Lot No. ____ Block No. ____

County Payette

SE ¼ SE ¼ Sec. 12, T. 8 (N)S, R. 4 E(W)

7. WATER LEVEL

Static water level 0 feet below land surface

Flowing? ☐ Yes ☐ No G.P.M. flow ____

Temperature ____ °F. Quality ____

Artesian closed-in pressure ____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
none.		

037644

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
12	1	6	top soil		✓
12	6	18	Clay Brn.		✓
8	18	34	Gravel		✓
8	34	68	Clay Sandy		✓
8	68	71	Clay Blue		✓
8	71	102	Clay Blue no water.		✓

10. Work started 5-8-77 finished 5-19-77

11. DRILLERS CERTIFICATION

Firm Name Dallas Drilling Firm No. 224

Address Payette Date 5-26-77

Signed by (Firm Official) Dallas G. Goff

and

(Operator) Dallas G. Goff

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 17 in 08N 04W well reports

WellID	PermitID	Owner	
402781	832189	(b) (6)	
377308	806475		
294180	734200		o log available on line)
294251	734271		
371958	801044		

069421

WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

Log No. RECEIVED
Rec. DEC 19 1953
Well No. Department of Reclamation
Permit No.
(DO NOT FILL IN)

Owner (b) (6) Driller John A. Driscoll

Address Address New Plymouth Lic. No. 49

Location of Well: SW¼NW¼ Sec. 17, T. 8 N/S, R. 4 E/W Payette County.

and ____ feet N/S, and ____ feet E/W from ____ corner of ____ ¼ ____ ¼ Sec.

Water will be used for DOMESTIC Total depth of well 284

Size of drilled hole 4 in Weight of casing per linear foot 10.79

Thickness of casing ____ Casing material Steel
e.g., pipe, concrete, wood.

Diameter, length and location of casing 4 in 98 ft Casing from surface to 98 ft
(Casing 12" in diameter and under give inside diameter; casing over 12" in diameter give outside diameter.)

Number and size of perforations none located ~ feet to ~ feet from surface of ground.

Other perforations: ____

If flowing well, give flow in c.f.s. ____ or g.p.m. ____ and shut in pressure ____

If non-flowing well, give depth of standing water from surface surface

If flowing well, describe control works ____
(Type and size of valve, etc.)

On pumping test delivery was 10 g.p.m. or ____ c.f.s. Drawdown was 20 ft feet

Length of time pumped during check was 1 hr. ____ min. Water temp. 61 ° Fahrenheit.

Date of commencement of well Nov 2 Date of completion of well 16 th

Type of well rig Home made

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	"Remarks" — Seals, Grouting, Etc.
11	surface	98	98	

GENERAL INFORMATION — Pumping Test, Quality of Water, Etc.

SWNW S.17 8N 4W

069423

RECEIVED
APR 8 1966

Well Log Form 1
3M-3/63

WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-238

Permit No. _____ Well No. _____ County Payette

Owner (b) (6)

Address Payette

Driller Ne. Nicholson

Address Payette

Well location NE ¼ NE ¼ Sec. 17, T. 8 N/S, R. 4 E/W

Size of drilled hole 6"

Total depth of well 200'

Locate well in section



Give depth to standing water from the ground 15' Water temp. _____ °Fahr.

Test delivery was 5 g.p.m. or _____ c.f.s. Drawdown was 100 feet. Pump? ____ Bail? X

Size of pump and motor used to make test. _____

Length of time of test 2 hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____
(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic Weight of casing per lineal foot 17 lb.

Thickness of casing .250 Casing material Steel
(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing _____
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
6"	0	36		

Number and size of perforations none located _____ feet to _____ feet from ground

_____ _____ _____

_____ _____ _____

Date of commencement of well Oct 18-65 Date of completion of well Oct 18-65

NENE S.17 8N 4W USGS.

Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR BALLPOINT PEN

OCT 24 1988

Department of Water Resources

1. WELL OWNER

Name (b) (6)

Address Payette Ida

Owner's Permit No.

2. NATURE OF WORK 65-7462 65-89-Z-02

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☒ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness		Diameter		From		To	
.250	inches	6	inches +	1	feet	122	feet
.258	inches	5	inches	2	feet	260	feet
	inches		inches		feet		feet
	inches		inches		feet		feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/8 inches by 6 inches

Number		From		To	
60	perforations	115	feet	121	feet
	perforations		feet		feet
	perforations		feet		feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name COOK
Type 304 STAINLESS Model No.
Diameter 5 Slot size 20 Set from 234 feet to 229 feet
Diameter 5 Slot size 20 Set from 208 feet to 203 feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 9-14 Sand
Placed from 0 feet to 260 feet
Surface seal depth 60 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port

6. LOCATION OF WELL

Sketch map location must agree with written location.

N / W / E / S

Subdivision Name MICROFILMED AUG 02 1990

Lot No. Block No.

County Payette

NE ¼ SE ¼ Sec. 17 T. 8N N/S, R. 4W E/W.

7. WATER LEVEL

Static water level 95 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow
Artesian closed-in pressure p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 68 °F. Quality
Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
40	130	48 hours

9. LITHOLOGIC LOG 072781

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	12	SILTY SAND		
10	12	18	CEMENTED GRAVEL		
10	18	24	SILTY SAND		
10	24	32	CEMENTED GRAVEL		
10	32	50	SILTY CLAY		
6	50	95	SILTY BROWN CLAY		
6	95	117	BLUE CLAY		
6	117	118	COARSE SAND	X	
6	118	158	BLUE CLAY		
6	158	168	SAND	X	
6	168	172	BLUE CLAY		
6	172	173	FINE SAND GREY	X	
6	173	180	BLUE CLAY		
6	180	181	FINE GREY	X	
6	181	202	BLUE CLAY		
6	202	203	FINE GREY	X	
6	203	208	BLUE CLAY		
6	208	209	FINE GREY SAND	X	
6	209	217	BLUE CLAY		
6	217	218	FINE GREY SAND	X	
6	218	230	BLUE CLAY		
6	230	233	FINE GREY SAND	X	
6	233	260	BLUE CLAY		
			NOTE		
			FIVE SEPARATE SCREEN SECTIONS		
			5' screen 20 slot 182-177		
			5' screen 20 slot 166-161		
			5' screen 20 slot 121-116		

10. Work started 2/18/88 finished 2/25/88

11. DRILLERS CERTIFICATION DL

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

DALLAS DRILLING & PUMP CO., INC. Firm Name Firm No. 445
505 SOUTH 18TH STREET Address Date 3/23/88
PAYETTE, IDAHO
Signed by (Firm Official) John L. Dall
and
(Operator) John L. Dall

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

RECEIVED
JUN 8 19[illegible]
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name (b) (6)
Address Payette Idaho
Owner's Permit No.

2. NATURE OF WORK
☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☑ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☑ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 122 feet
Casing schedule: ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
1/4 inches	6 inches	+ 1 feet	110 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☑ Yes ☐ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter ___ Slot size ___ Set from ____ feet to ____ feet
Diameter ___ Slot size ___ Set from ____ feet to ____ feet

Gravel packed? ☐ Yes ☑ No Size of gravel
Placed from ____ feet to ____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout ☑ Puddling clay ☐ Well cuttings
Seeling procedure used ☐ Slurry pit ☐ Temporary surface casing ☑ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.



Subdivision Name
Lot No. Block No.
County Payette
SE ¼ NW ¼ Sec. 17, T. 8 N/S, R. 4 E/W

7. WATER LEVEL
Static water level 95 feet below land surface
Flowing? ☐ Yes ☑ No G.P.M. flow
Temperature 65° F. Quality Good
Artesian closed-in pressure ____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☑ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
30	30	3

037645

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
8	0	3	Soil Sandy		✓
8	3	12	Clay		✓
8	12	20	Clay with Gravel		✓
6	20	75	Clay Brown		✓
6	75	90	Clay Blue		✓
6	90	109	Sandy Clay	✓	
6	109	122	Clay Blue		✓

10.
Work started 5-8-76 Finished 5-11-76

11. DRILLERS CERTIFICATION
Firm Name Holloway Drilling Firm No. 53
Address Ontario Ore Date 6-7-76
Signed by (Firm Official) Mayo Holloway
and
(Operator) Jim Gilmore

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 20 in 08N 04W well reports

WellID	PermitID	Owner
346481	774642	(b) (6)
432593	863475	

Form 238-7
6/07

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0063736
Drilling Permit No. 91484 - 803475
Water right or injection well #

2. OWNER:
Name (b) (6)
Address
City New Plymouth State ID Zip 83655

3.WELL LOCATION:
Twp. 8 North ☒ or South ☐ Rge. 4 East ☐ or West ☒
Sec. 20 1/4 SW 1/4 SE 1/4
Gov't Lot County Payette
Lat. 44 0.742 (Deg. and Decimal minutes)
Long. 116 50.519 (Deg. and Decimal minutes)
Address of Well Site 3595 NW 4th Avenue
(Give street name or road + Distance to Road or Landmark) City New Plymouth
Lot. Blk. Sub. Name

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other

5. TYPE OF WORK:
☐ New well ☒ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other

6. DRILL METHOD:
☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method procedure
3/4bentonite	0	18	550lbs	dry pour
3/4bentonite	38	80	600lbs	dry pour

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/ Schedule	Material	Casing	Liner	Threaded	Welded
6"	+2	18	.250	steel	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s)

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☐ N Method
Manufactured screen ☒ Y ☐ N Type certi-lok
Method of installation placed

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
18	38	.020	---	6"	pvc	sdr-17

Length of Headpipe Length of Tailpipe
Packer ☐ Y ☐ N Type

10.FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method
10/20sand	18	38	600lbs	dry pour

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG)
Describe control device

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) 8ft Static water level (ft) 8ft
Water temp. (°F) 55degF Bottom hole temp. (°F)
Describe access port well cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Test method: Pump	Bailer	Air	Flowing artesian
28ft	14gpm	60minutes	☒	☐	☐	☐
			☐	☐	☐	☐

Water quality test or comments:

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	Water N
10"	0	8	sandy soil		X
"	8	27	gravel and sand	X	
"	27	38	blue clay		X
6"	38	75	blue clay		X
"	75	80	fine black sand and rank sulfur smell	X	
			decided to abandon lower portion		
			and take top water that had no		
			smell		

RECEIVED
MAY 30 2012
WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable) 38ft
Date Started: May 21, 2012 Date Completed: May 23, 2012

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Coonse Well Drilling Co. No. 409
*Principal Driller Date May 23, 2012
*Driller Date May 23, 2012
*Operator II Date
Operator I Date

* Signature of Principal Driller and rig operator are required.

Form 238-7
1/78

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name (b) (6)

Address New Plymouth, Idaho 83655

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness		Diameter		From		To	
250	inches	6	inches	+ 1	feet	29	feet
	inches		inches		feet		feet
	inches		inches		feet		feet
	inches		inches		feet		feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ Torch
Size of perforation 1/8 inches by 3 inches

Number		From		To	
160	perforations	19	feet	29	feet
	perforations		feet		feet
	perforations		feet		feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County Payette
SE ¼ SW ¼ Sec. 20, T. 8N N/S, R. 4W E/W.

7. WATER LEVEL

Static water level 8 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 54°F. Quality good

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
15	38	2

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
12	0	8	sand		
12	8	27	sand gravel	x	
6	27	38	blue clay		

CC2008

RECEIVED
JUL 9 1980
Department of Water Resources
Western Region Office

RECEIVED
JUL 10 1980
Department of Water Resources

10. Work started 6/11/80 finished 6/11/80

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name DALLAS DRILLING Firm No. 224
Address Payette, Idaho Date 6/13/80
Signed by (Firm Official) Dallas G. Doff
and
(Operator) Johnny L. Doff

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 21 in 08N 04W well reports

WellID	PermitID	Owner
377522	806697	(b) (6)

Form 238-7
6/02

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only
Well ID No. 806697
Inspected by
Twp ____ Rge ____ Sec ____
____ 1/4 ____ 1/4 ____ 1/4
Lat: : : Long: : :

1. WELL TAG NO. D D0030435
DRILLING PERMIT NO.
Water Right or Injection Well No.

2. OWNER: (b) (6)
Name
Address
City PAYETTE State ID Zip 83661

3. LOCATION OF WELL by legal description:
You must provide address or Lot, Blk, Sub. or Directions to well.
Twp. 8 North ☒ or South ☐
Rge. 4 East ☐ or West ☒
Sec. 21 SW 1/4 NW 1/4 ____ 1/4
Gov't Lot ____ County PAYETTE
Lat: : : Long: : :
Address of Well Site SAME
City
(Give at least name of road – Distance to Road or Landmark)
Lt. ____ Blk. ____ Sub. Name

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)
☐ New Well ☐ Modify ☐ Abandonment ☒ Other 4" WELL

6. DRILL METHOD:
☒ Air Rotary ☒ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
BENTONITE	0	18	400 lbs.	OVERBORE

Was drive shoe used? ☒Y ☐N Shoe Depth(s) 97'
Was drive shoe seal tested? ☐Y ☒N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8"	+4	97'	.250	STEEL	☒	☐	☒	☐
4½"	-7	102	80	PVC	☐	☒	☒	☐
					☐	☐	☐	☐

Length of Headpipe 95' Length of Tailpipe N/A
Packer ☐Y ☒N Type

9. PERFORATIONS/SCREENS PACKER TYPE
Perforation Method
Screen Type & Method of Installation PVC SLOTTED SCREEN

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
102	162	.020	80	4½"	PVC	☐	☒
						☐	☐
						☐	☐

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method
8/12 SAND	34	162	3500 lbs.	8" OVERBORE

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
5 ft. below ground Artesian pressure ____ lb.
Depth flow encountered ____ ft. Describe access port or control devices:

12. WELL TESTS:
☒ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
100 +		AIR ROTARY	1 hr;
45 (pumped)	10'	15'	72 hrs.

Water Temp. Bottom hole temp.
Water Quality test or comments:
Depth first Water Encountered

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water Y	Water N
12"	0	2	TOP SOIL		X
	2	8	SANDY CLAY		X
	8	20	GRAVEL	X	
8"	20	57	BLUE CLAY		X
	57	62	BRN. SAND	X	
	62	132	BLUE CLAY		X
	132	162	BLUE CLAY W/SAND STRKS.	X	

RECEIVED
SEP 10 2003
WATER RESOURCES
WESTERN REGION

Completed Depth 162' (Measurable)
Date: Started 8/3/03 Completed 9/5/03

14. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name DENNIS PHIPPS WELL DRILLING INC. Firm No. 332
Principal Driller [signature] Date 9/8/03
and
Driller or Operator II Date
Operator I Date
Principal Driller and Rig Operator *Required.*
Operator I must have signature of Driller/Operator II.

FORWARD WHITE COPY TO WATER RESOURCES

Section 23 in 08N 04W well reports

WellID	PermitID	Owner
292774	735110	(b) (6)

Page 1 of 2

Form 238-7
8/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

USE TYPEWRITER OR BALLPOINT PEN

MAR 02 1992

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Western Regional Office

1. WELL OWNER

(b) (6)

Name [redacted]

Address [redacted]

Drilling Permit No. 65-92-W-005

Water Right Permit No. ______

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other ______ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other ______

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other ______

Thickness	Diameter	From	To
.250 inches	6 inches	+ 1 feet	43 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun
Size of perforation 3/16 inches by 4 inches

Number	From	To
18 perforations	36 feet	40 feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name ______
Type ______ Model No. ______
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Diameter ____ Slot size ____ Set from ____ feet to ____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel ______
Placed from ______ feet to ______ feet
Surface seal depth 20' Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port Sani-seal

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name ______

Lot No. ______ Block No. ______

County Payette

NW ¼ SE ¼ Sec. 23, T. 8 N☒ S☐ R. 4 E☐ W☒

7. WATER LEVEL

Static water level 11 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow ______
Artesian closed-in pressure ______ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality Good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other ______

Discharge G.P.M.	Pumping Level	Hours Pumped
40+	40'	Three

072326

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	4	Top Soil		X
10	4	10	Brown Clay		X
10	10	13	Cliche Light Tan		X
10	13	20	Brown Clay		X
6	20	25	Brown Clay		X
6	25	30	Cemented Gravel		X
6	30	41	Gravel w/ Sand	X	
6	41	49	Clay Blue		X

RECEIVED
MAR 13 1992
Department of Water Resources

MICROFILMED
APR 02 1992

10. Work started 1-25-92 finished 1-27-92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name [illegible] Drilling Firm No. 497
Address PO Box [illegible] Payette Date 1-27-92
Signed by (Firm Official) [signature]
and
(Operator) ______

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 238-7 6/80

USE TYPEWRITER OR BALLPOINT PEN

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

(b) (6) [redacted]

Drilling Permit No. 65-92-W-005-000

Water Right Permit No. ______

2. NATURE OF WORK

☑ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other ______ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☑ Cable ☐ Dug ☐ Other ______

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other ______

Thickness	Diameter	From	To
.250 inches	6 inches +	1 feet	43 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☑ Torch ☐ Gun
Size of perforation 3/16 inches by 4 inches

Number	From	To
18 perforations	36 feet	40 feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name ______
Type ______ Model No. ______
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Diameter ___ Slot size ___ Set from ___ feet to ___ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel ______
Placed from ______ feet to ______ feet
Surface seal depth 20' Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☑ Overbore to seal depth
Method of joining casing: ☐ Threaded ☑ Welded ☐ Solvent Weld ☐ Cemented between strata
Describe access port Sani-Seal

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name ______

Lot No. ______ Block No. ______

County Payette

NW ¼ SE ¼ Sec. 23, T. 8 N☒ S☐ R. 5 E☐ W☒

7. WATER LEVEL

Static water level 11 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow ______
Artesian closed-in pressure ______ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality Good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other ______

Discharge G.P.M.	Pumping Level	Hours Pumped
40+	40'	1hr

9. LITHOLOGIC LOG 090950

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	4	Top Soil		x
10	4	10	Brown Clay		x
10	10	13	Cliche Light Tan		x
10	13	20	Brown Clay		x
6	20	25	Brown Clay		x
6	25	30	Cemented Gravel		x
6	30	41	Gravel w/Sand	x	
6	41	49	Clay Blue		x

RECEIVED
MAY 29 1996
Department of Water Resources

OFFICE USE ONLY
Inspected by RBW
Twp 8N Rge 5W Sec 23
¼ NW ¼ SE ¼

SEP 11 1996

10. Work started 1-25-92 finished 1-27-92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name [illegible] Drilling Firm No. 489
Address [illegible] Payette Date 1-27-92
Signed by (Firm Official) [illegible]
and
(Operator) ______

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 24 in 08N 04W well reports

WellID	PermitID	Owner
444582	878927	ALTA MESA
371957	801043	(b) (6)
392955	822297	
371956	801042	

Form 238-7
6/07

LES

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D D0071828
Drilling Permit No. 972870-878927
Water right or injection well #

2. OWNER:
Name Alta Mesa
Address 6000 Big Willow Rd.
City Payette State Idaho Zip 83661

3.WELL LOCATION:
Twp. 8 North ☒ or South ☐ Rge. 4 East ☐ or West ☒
Sec. 24 ____ 1/4 SE 1/4 NW 1/4
Gov't Lot ____ County Payette
Lat. 44 °01.118'N (Deg. and Decimal minutes)
Long. 116 °45.887'W (Deg. and Decimal minutes)
Address of Well Site Same
(Give at least name of road + Distance to Road or Landmark) City Payette
Lot. ____ Blk. ____ Sub. Name ____

4. USE:
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other ____

5. TYPE OF WORK:
☐ New well ☐ Replacement well ☒ Modify existing well
☐ Abandonment ☐ Other ____

6. DRILL METHOD:
☐ Air Rotary ☐ Mud Rotary ☒ Cable ☐ Other ____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
N/A				

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/ Schedule	Material	Casing	Liner	Threaded	Welded
8"	1	381	.250	Steel	☒	☐	☐	☒
6"	357	403	.250	Steel	☐	☒	☐	☒
6"	413	415	.250	Steel	☐	☒	☐	☒
					☐	☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 381'

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☒ N Method ____
Manufactured screen ☒ Y ☐ N Type Johnson
Method of installation Bailed In

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
403	413	.020	10'	6"	Stainless	304

Length of Headpipe ____ Length of Tailpipe 2'
Packer ☒ Y ☐ N Type Rubber K-Packer

10.FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method
N/A				

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) ____
Describe control device ____

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) ____ Static water level (ft) 330'
Water temp. (°F) Cold Bottom hole temp. (°F) ____
Describe access port 6" Turtle Cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
345'	29 GPM	24 HRS.

Test method: Pump ☒ Bailer ☐ Air ☐ Flowing artesian ☐

Water quality test or comments: ____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water Y	Water N
8"	397	415	Coarse Sand w/ Clay	X	

RECEIVED
MAY 26 2016
WATER RESOURCES
WESTERN REGION

Completed Depth (Measurable): 415'
Date Started: May 13, 2016 Date Completed: May 17, 2016

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Dennis Phipps Well Drilling In Co. No. 332
*Principal Driller ____ Date May 17, 2016
*Driller ____ Date May 17, 2016
*Operator II ____ Date ____
Operator I ____ Date ____

* Signature of Principal Driller and rig operator are required.

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

RECEIVED
NOV 7 1977
Department of Water Resources

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name (b) (6)
Address Fayette Idaho.
Owner's Permit No.

2. NATURE OF WORK
☑ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or injection

4. METHOD DRILLED
☑ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 8 inches Total depth 395 feet
Casing schedule: ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
1/4 inches	8 inches	+2 feet	380 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☑ Yes ☐ No
Was a packer or seal used? ☐ Yes ☑ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet
____ perforations	____ feet	____ feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☑ No Size of gravel
Placed from feet to feet

Surface seal depth 20 Material used in seal ☐ Cement grout ☑ Puddling clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☑ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.



Subdivision Name
Lot No. Block No.
County Fayette County
NE ¼ SW ¼ Sec 24 T. 8 N. R. 4 E/W

7. WATER LEVEL
Static water level 330 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow
Temperature 66° F. Quality Good
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☑ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
20	10	2

9. LITHOLOGIC LOG 037646

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	4	SOIL SANDY		✓
10	4	14	CLAY BROWN		✓
10	14	30	GRAVEL Cemented		✓
8	30	310	CLAY SANDY BROWN		✓
8	310	330	CLAY BLUE		✓
8	330	375	CLAY BLUE SANDY		✓
8	375	395	CLAY BLUE "		✓
8	395	397	SAND & GRAVEL COARSE		✓

10. Work started 10-1-77 finished 10-13-77

11. DRILLERS CERTIFICATION
Firm Name Halloway DRILLING Co. Firm No. 53
Address ONTARIO ORE Date 11-2-77
Signed by (Firm Official) Max Halloway
and (Operator) Cody Belisle

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

RECEIVED
JAN 28 1970
Department of Reclamation

1. WELL OWNER
Name (b) (6)
Address Star Rt. Payette, Idaho
Owner's Permit No.

2. NATURE OF WORK
☐ New well ☐ Deepened ☑ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☑ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☑ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 237 feet
Casing schedule: ☑ Steel ☐ Concrete

Thickness	Diameter	From	To
1/4 inches	6 inches	0 feet	179 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☑ Yes ☐ No
Perforated? ☐ Yes ☑ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☑ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☑ No Size of gravel
Placed from feet to feet

Surface seal? ☑ Yes ☐ No To what depth 20 feet
Material used in seal ☐ Cement grout ☑ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.



65

County PAYETTE
NW ¼ SE ¼ Sec. 24 T. 8 N. R. 4 E/W

7. WATER LEVEL
Static water level 50 feet below land surface
Flowing? ☐ Yes ☑ No G.P.M. flow
Temperature ° F. Quality GAS
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☑ Pump ☑ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
12	30 ft	20

43701

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6"	0	12	Surface soil		X
6"	12	97	Brown sandy clay		X
	97	145	Fine silty sand	X	
	145	210	Blue shale		X
	210	215	Sand	X	
	215	236	Blue shale		X
	236	237	Heavy black sand		X

10.
Work started Nov. 17, 1969 finished Nov. 26, 1969

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

Nicholson Well Drilling 54
Driller's or Firm's Name Number
921 6th Ave. S. Payette, Idaho
Address
Oscar Scott Dec. 2, 1969
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name (b) (6)
Address Rt. 1 Box 320 Payette Id
Owner's Permit No.

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED
☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 65 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	6 inches	1 feet	32 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No Size of gravel
Placed from feet to feet

Surface seal? ☒ Yes ☐ No To what depth 20 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.

6 S



County PAYETTE
NE ¼ SE ¼ Sec. 24 T. 8 N. R. 4 W

7. WATER LEVEL
Static water level 12 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow
Temperature ° F. Quality
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
20 GPM	10 Ft.	½ HR

037647

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes	Water No
6	1	8	Top Soil		X
	9	14	Silt		X
	15	29	Gravel & Sand	X	
	30	47	Blue Clay		X
	48	49	Black Sand	X	
	50	64	Blue Clay		X
	65	65	Black Sand	X	

10. Work started 4/2/73 finished 4/3/73

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.

H.C. Nicholson Well Drilling 54
Driller's or Firm's Name Number
921 6th Ave So Payette
Address
Signed By H.C. Nicholson Date

MICROFILMED

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

Section 18 in 08N 03W well reports

WellID	PermitID	Owner
292830	735164	(b) (6)

Form 238-7
8/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
NOV 19 1992
Department of Water Resources

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

Note: law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name (b) (6)
Address _____, Payette
Drilling Permit No. 65-92-W-060-000
Water Right Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches +	1 feet	80 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Diameter ___ Slot size ___ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 22 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port well cap

6. LOCATION OF WELL - 6373 Big Willow RD
Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____
County Payette
NW ¼ SE ¼ Sec. 18, T. 8 (N) (S) R. 3 (E) (W)

7. WATER LEVEL
Static water level 3½ feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 60 °F. Quality Poor
Describe artesian or temperature zones below.

8. WELL TEST DATA
☒ Pump ☒ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
Less than .125	bottom	4 days
5 gpm	25	4

9. LITHOLOGIC LOG 082395

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
10	0	7	Silt, Rich Brown		
10	7	22	Cemented gravel		
6	22	43	Silty clay, blue, Slit to Sand Lences, gray		
	43	57	Sand Stone, M-C, gray to yellow Sulfer Strong Odor		
	57	64	Clay, blue		
	64	67	Clay Stone, blue		
	67	68	Sand, M-C, gray to yellow Sulfer Strong odor	X	
	68	71	Silty clay, Brown to Blue		
	71	73	Clay Blue to Brown		
	73	227	Clay, Sticky, blue		
	227	235	Clay Stone, blue, med hard		
	235	260	Clay Stone, very hard		
	260	304	Clay Stone, Med hard		
	304	360	Clay Stone, Soft, with Sticky Spots	X	

Cement was Placed From 120 Ft to Bottom to Plug off bottom water
11-5-92
Then Perfated 66-67 with Mills Knife 16 Times 1/4 x 3½
PH 5½
Temp 60°
Sulfer Odor
Marvin Haines

RECEIVED
OCT 26 1992
Department of Water Resources
Western Region Office

10. Work started 4-27-92 finished 5-11-92

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Haines Well Drilling Firm No. 491
Address 4127 Good Lane, New Plymouth, 6-13-92
Signed by (Firm Official) Marvin Haines
and
(Operator) Marvin Haines

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Section 19 in 08N 03W well reports

WellID	PermitID	Owner
402799	832208	(b) (6)
402761	832168	

069427

WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

Log No. RECEIVED
Rec. AUG 7, 1954
Well No. Department of Reclamation
Permit No. G-25161
(DO NOT FILL IN)

(b) (6)

Owner [redacted] Driller Kurt E Brouthers

Address [redacted] Address Box 331 Payette Lic. No. 9

Location of Well: NW ¼ ¼ Sec. 19, T. 8 N/S, R. Range 3 W E/W Payette County.

and ____ feet N/S, and ____ feet E/W from ____ corner of ____ ¼ ____ ¼ Sec. ____

Water will be used for Domestic and Irrigation Total depth of well was 136

Size of drilled hole 6 inch Weight of casing per linear foot 19 lbs

Thickness of casing ¼ Casing material Steel
e.g., pipe, concrete, wood.

Diameter, length and location of casing Inside D. 6⅛
(Casing 12" in diameter and under give inside diameter; casing over 12" in diameter give outside diameter.)

Number and size of perforations ____ located ____ feet to ____ feet from surface of ground.

Other perforations: ____

If flowing well, give flow in c.f.s. ____ or g.p.m. ____ and shut in pressure ____

If non-flowing well, give depth of standing water from surface 46'

If flowing well, describe control works ____
(Type and size of valve, etc.)

On pumping test delivery was Bailing Test 2400 per hr. g.p.m. or ____ c.f.s. Drawdown was approximately none feet

Length of time pumped during check was ____ hr. ____ min. Water temp. ____ ° Fahrenheit.

Date of commencement of well July 6 1954 Date of completion of well July 9

Type of well rig Bucyrus Erie 22 W Spudder

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	"Remarks" — Seals, Grouting, Etc.
6"			46'	Impossible to give location of well in feet without a surveyor

25-1

069426

Well Log Form 1
3M-3/63

JUN 30 1965
Department of Reclamation

WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-238

Permit No. _____ Well No. _____ County Payette

Owner (b) (6)

Address

Driller H.C. Nicholson

Address Payette

Well location SW ¼ NW ¼ Sec. 19, T. 8 N/S R. 3 W E/W

Size of drilled hole 6"

Total depth of well 198

Locate well in section



Give depth to standing water from the ground 125 Water temp. _____ °Fahr.

Test delivery was 10 g.p.m. or _____ c.f.s. Drawdown was 0 feet. Pump? _____ Bail? X

Size of pump and motor used to make test _____

Length of time of test 2 hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____ (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Stock well Weight of casing per lineal foot 17 lb

Thickness of casing .250 Casing material Steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing _____ (CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
6"	0	198		

Number and size of perforations None located _____ feet to _____ feet from ground

_____ _____ _____

_____ _____ _____

Date of commencement of well 3-24-65 Date of completion of well 4-7-65

SWNW 5.19 8N 3W USB.

65